

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Substance name : **A113**

IUPAC name : **1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized**

Product form : Substance

EC-No. : 615-044-1

CAS-No. : 69991-67-9

Product code : A113

Extra phrases : A113

1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized
CAS: 69991-67-9
CE: 615-044-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : - Electronic industry
- Electrical industry
- Chemical industry
- For industrial use only
Reserved for professional users

Uses advised against

Restrictions on use : No data available.

1.3. Details of the supplier of the safety data sheet

Pfeiffer Vacuum SAS
98, avenue de Brogny - BP 2069
74009 Annecy Cedex
T +(33) 04 50 65 77 77
support-service@pfeiffer-vacuum.fr

1.4. Emergency telephone number

Emergency number : The emergency telephone number for France is the ORFILA (INRS) number: + 33 (0) 1 45 42 59 59. This number gives details of all the poison control centres in France. These poison control and toxicovigilance centres provide free medical care 24/7 (excluding the cost of the call). For the emergency telephone number for your own country, please contact the relevant local authorities and visit the ECHA (European Chemicals Agency) website: http://echa.europa.eu/help/nationalhelp_contact_en.asp

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases : A113

1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized
CAS: 69991-67-9
CE: 615-044-1

2.3. Other hazards

Other hazards which do not result in classification : No data available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
A113 1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized	(CAS-No.) 69991-67-9 (EC-No.) 615-044-1	> 99.9	Not classified

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

First-aid measures after inhalation	: IF INHALED: take the person outside and keep him/her in a comfortable position in which it is easy to breathe. Consult a doctor immediately. Immediately begin artificial respiration if the victim stops breathing. Call a doctor immediately. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Wash with soap and plenty of water. Seek medical advice if an irritation appears.
First-aid measures after eye contact	: Rinse carefully with plenty of water with the eyelids held wide open. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse the mouth with water. Drink water. Do not induce vomiting. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Chronic symptoms : See Sub Heading 2.1/2.3.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sprayed water
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical powder.

Unsuitable extinguishing media : None in particular.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non inflammable. Heating causes an increase of pressure and a risk of bursting.

Explosion hazard : In the event of a fire, highly dangerous smoke and vapours are released: Unidentified compounds. Inhaling these is highly dangerous. The containers may explode when heated.

Hazardous decomposition products in the event of fire : In case of fire, carbon oxydes and smoke are formed. Exposure to substances produced by combustion or decomposition may be dangerous for the health. Hydrogen fluoride (HF).

5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so. Evacuate area. Keep unprotected and unauthorised persons away from the danger area.

Firefighting instructions : Fight fire from safe distance and protected location. Eliminate all ignition sources if safe to do so. Evacuate area. Exercise caution when fighting any chemical fire.

Protection in the event of a fire : Use self-contained breathing apparatus and chemically protective clothing. Do not attempt to take action without suitable protective equipment. Do not enter the danger zone without suitable chemical protection clothing and self-contained breathing apparatus.

Other information : Avoid contamination of groundwater with extinguishing water. The fire residue and water contaminated by the fire should be disposed of in accordance with the applicable regulations.

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Refer to the protection measures listed in sections 7 and 8.

For non-emergency personnel

Protective equipment : Wear safety equipment. Keep unprotected persons away.

Emergency procedures : Do not breathe in fumes/gas/mist/vapour/aerosols. Wear protective gloves/protective clothing/protective equipment for the eyes/face. Do not touch the product without appropriate protective equipment.
General information: The feasibility of any action should always be evaluated and if possible submitted to the opinion of a competent and trained person responsible for managing emergency situations. If necessary, inform the competent authorities in accordance with the regulations in force. Avoid any direct contact with spilled product. Keep away any personnel not involved. Personal protective equipment, see section 8. Proceed with caution in the event of a spill. The substance makes surfaces slippery. Ensure adequate ventilation, especially in closed areas. Face the wind. Stop or contain the leak at its source, if this is not dangerous. Do not touch or walk in spilt product. Provide adequate ventilation. Eliminate all sources of ignition (no smoking, torches, sparks or flames in the immediate vicinity). Personal protective equipment, see section 8.

For emergency responders

Protective equipment : Ensure that procedures and training sessions for emergency decontamination and disposal are in place. See section 8 concerning individual protections to use.

Emergency procedures : Evacuate unnecessary personnel. Do not breathe in fumes/gas/mist/vapour/aerosols. Wear protective gloves/protective clothing/protective equipment for the eyes/face. Do not touch the product without appropriate protective equipment.
General information: The feasibility of any action should always be evaluated and if possible submitted to the opinion of a competent and trained person responsible for managing emergency situations. If necessary, inform the competent authorities in accordance with the regulations in force. Avoid any direct contact with spilled product. Keep away any personnel not involved. Personal protective equipment, see section 8. Proceed with caution in the event of a spill. The substance makes surfaces slippery. Ensure adequate ventilation, especially in closed areas. Face the wind. Stop or contain the leak at its source, if this is not dangerous. Do not touch or walk in spilt product. Provide adequate ventilation. Eliminate all sources of ignition (no smoking, torches, sparks or flames in the immediate vicinity). Personal protective equipment, see section 8.

6.2. Environmental precautions

Contain and gather leaks with absorbing, non-combustible material, for example: sand, earth, vermiculite, diatomaceous earth, in barrels for disposing of waste. Avoid any penetration into the drainage system or the waterways. Avoid penetration in the soil/sub-soil. Avoid run-off into surface water or waste water system.

Retain contaminated cleaning water and dispose of it.

In case of a gas leak or penetration into the waterways, the soil or the drainage system, notify the relevant authorities.

Suitable material for cleaning: absorbing material, organic, sand.

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Suitable advice concerning the containment of a spill; the following containment methods can be envisioned:
- To limit the production of dust or vapour: cover the product with absorbent granules (inert, non flammable and non combustible).
 - In case of large spills: install a protective enclosure, cover the sewers.
- Collect the absorbent/product mixture and put it in compatible packaging for subsequent disposal in accordance with the regulations in force.
- In case of a large spill, inform the competent authorities if the situation cannot be rapidly and effectively controlled.
- The absorbent/product mixture shall be handled with the same precautions as the product itself.
- Methods for cleaning up : Take up liquid spill into absorbent material. Wash soiled surfaces taking care not to contaminate the natural environment.
- Other information : Ensure adequate ventilation. Do not breathe the smoke/gas/mist/vapour/aerosol. Wear protective gloves/protective clothing/eye/face protection equipment. Do not touch the product without wearing suitable personal protection equipment.

6.4. Reference to other sections

For information regarding handling, see section 7. For information regarding personal protective equipment, see section 8. For information regarding disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Ensure adequate ventilation. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Prolonged or repeated contacts with the skin may cause dermatitis. Avoid breathing mist, spray.
- Precautions for safe handling : - Ensure adequate ventilation.
- Use personal protective equipment.
- Keep away from heat and sources of ignition.
- To avoid thermal decomposition, do not overheat.
- Take measures to prevent the build up of electrostatic charge.
- Clean and dry piping circuits and equipment before any operations.
- Ensure all equipment is electrically grounded before beginning transfer operations.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Provide local exhaust or general room ventilation.
- Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Storage area : Provide tight electrical equipment well protected against corrosion.
- Packaging materials : Polyethylene.

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

:

Version: 11

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

:

Version: 11

Carbonyl difluoride

: 7664-39-3

TWA = 1.8 ppm

US. ACGIH Threshold Limit Values 03 2013

VME = 1.5 mg/m³

time weighted average = 2 ppm

VLCT (or TLV) = 3 ppm

VLCT (or TLV) = 2.5 mg/m³

US. ACGIH Threshold Limit Values 03 2013

Short term exposure limit = 5 ppm

US. OSHA Table Z-1-A (29 CFR 1910.1000)
1989

time weighted average = 2 ppm

time weighted average = 5 mg/m³

US. OSHA Table Z-1-A (29 CFR 1910.1000)
1989

Short term exposure limit = 5 ppm

Short term exposure limit = 15 mg/m³

US. OSHA Table Z-2 (29 CFR 1910.1000) 02
2006

time weighted average = 2.5 mg/m³

Remarks Dust

US. OSHA Table Z-1 Limits for Air
Contaminants (29 CFR 1910.1000) 02 2006

Permissible exposure limit = 2.5 mg/m³

Remarks as F

US. Tennessee. OELs. Occupational Exposure
Limits, Table Z1A 06 2008

time weighted average = 2 ppm

time weighted average = 5 mg/m³

US. Tennessee. OELs. Occupational Exposure
Limits, Table Z1A 06 2008

Short term exposure limit = 5 ppm

Short term exposure limit = 15 mg/m³

Anhydrous hydrogen fluoride

FRANCE

CAS

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

Additional information

: Hydrogen fluoride anhydrous

Remarks

Threshold limit values of by-products from thermal decomposition

Hydrogen fluoride anhydrous

US. ACGIH Threshold Limit Values 03 2013

time weighted average = 0.5 ppm

Remarks as F

US. ACGIH Threshold Limit Values 03 2013

Ceiling Limit Value = 2 ppm

Remarks as F

US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989

time weighted average = 3 ppm

Remarks as F

US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989

Short term exposure limit = 6 ppm

Remarks as F

US. ACGIH Threshold Limit Values 03 2013

Remarks as F, Can be absorbed through skin.

US. OSHA Table Z-2 (29 CFR 1910.1000) 02 2006

time weighted average = 3 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) 02 2006

Permissible exposure limit = 2.5 mg/m³

Remarks as F

US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A 06 2008

time weighted average = 3 ppm

Remarks as F

US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A 06 2008

Short term exposure limit = 6 ppm

Remarks as F

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

8.2. Exposure controls

Appropriate engineering controls :

- Provide local ventilation appropriate to the product decomposition risk (see section 10).
- Refer to protective measures listed in sections 7 and 8.
- Apply technical measures to comply with the occupational exposure limits.
- For additional information, consult the current edition of The Guide to the Safe Handling of Fluoropolymers published by the Society of Plastics Industry, Inc. (SPI) Fluoropolymer Division.

Hand protection : - Latex gloves
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Eye protection : Goggles with lateral protection (according to standard EN 166).

Skin and body protection : - Long sleeved clothing
- Safety shoes.

Respiratory protection :

- No personal respiratory protective equipment normally required.
- Use respirator when performing operations involving potential exposure to vapour of the product.
- Use only respiratory protection that conforms to international/ national standards.
- Use NIOSH approved respiratory protection.
- Comply with OSHA respiratory protection requirements.

Environmental exposure controls : Avoid release into natural bodies of water, waste water or the soil.

Other information : - Ensure that eyewash stations and safety showers are close to the workstation location.
- When using, do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : > 270 °C

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

:

Version: 11

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: > 290 °C
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Vapour pressure	: 0.0000001 - 0.000013 hPa 20°C (68°F)
Relative vapour density at 20 °C	: No data available
Relative density	: 1.88 - 1.90 g/cm ³
Solubility	: Insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 95 - 560 mPa.s 20°C
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable in normal conditions.

10.3. Possibility of hazardous reactions

No data / information available.

10.4. Conditions to avoid

- Avoid to use in presence of high voltage electric arc and in absence of oxygen.
- Keep away from flames.
- To avoid thermal decomposition, do not overheat.

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

10.5. Incompatible materials

- Lewis acids (Friedel-Crafts) above 100°C
- Aluminum and magnesium in powder form above 200°C
- Metals promote and lower decomposition temperature.

10.6. Hazardous decomposition products

- Gaseous hydrogen fluoride (HF), Fluorophosgene
- The release of other hazardous decomposition products is possible.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Acute toxicity : Not classified

(69991-67-9)	
LD50 oral rat	> 15,000 mg/kg
LD50 dermal rat	> 5,000 mg/kg
LC50 inhalation rat (mg/l)	No data available

Skin corrosion/irritation : Not classified
Rabbit, No skin irritation, 14 days

Serious eye damage/irritation : Not classified
Rabbit, No eye irritation

Respiratory or skin sensitisation : Not classified
Guinea pig, Did not cause sensitisation on laboratory animals, Skin

Germ cell mutagenicity : Not classified
- Not mutagenic in Ames Test.
- negative, Chromosome aberration test in vitro

Carcinogenicity : Not classified
No data available

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

Reproductive toxicity	: Not classified No data available
STOT-single exposure	: Not classified No data available
STOT-repeated exposure	: Not classified No data available
Aspiration hazard	: Not classified No data available
Potential adverse human health effects and symptoms	: - Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components. - The thermal decomposition vapours of fluorinated polymers may cause polymer fume fever with flulike symptoms in humans, especially when smoking contaminated tobacco. - Thermal decomposition can lead to release of toxic and corrosive gases. - Exposure to decomposition products - Causes severe irritation of eyes, skin and mucous membranes.
Information on the likely routes of exposure :	
Dermal contact	: No data available.
Eyes contact	: No data available.
Inhalation	: No data available.
Ingestion	: No data available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water	: - Fishes, Brachydanio rerio, LC50, 96 h, > 360 mg/l Remarks: saturated aqueous solution - Daphnia magna (Water flea), EC50, 48 h, > 360 mg/l Remarks: saturated aqueous solution.
-----------------	--

12.2. Persistence and degradability

(69991-67-9)	
Persistence and degradability	Not readily biodegradable.

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Do not release the product into the natural environment, wastewater or surface water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose of the product in accordance with the applicable local regulations. According to the European Waste Code (EWC), the waste code is not relative to the product itself but to its application.
The waste code should be assigned by the user, if possible after consulting the relevant authorities for waste disposal.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : It is recommended to avoid or reduce waste production as much as possible.

The disposal of this product, solutions and by-products shall comply with the legal requirements for environmental protection and waste disposal and the requirements of all local authorities at all times.

A licensed waste disposal contractor will be in charge of the disposal of surplus and non-recyclable products. Do not evacuate untreated waste into the sewers.

Only dispose of this product and its container by taking all standard precautions. Handle non-cleaned and non-rinsed containers with care. Empty containers or liners may retain product residues. Avoid dispersing spilled materials, as well as their leakage, and any contact with the soil, waterways, drains and sewers.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Special transport precautions : For information on handling, see section 7. For information on personal protective equipment, see section 8. For information on disposal, see section 13.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

No REACH Annex XVII restrictions

A113

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

Version: 11

1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized is not on the REACH Candidate List

A113

1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized is not on the REACH Annex XIV List

National regulations

Ensure all national/local regulations are observed.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
EC50	Median effective concentration
DSD	Dangerous Substances Directive 67/548/EEC
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level

Safety Data Sheet

A113



1-Propene, 1,1,2,3,3,3-hexafluoro-, oxidized, polymerized

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 22/03/2018

:

Version: 11

NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product